SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091

225

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs ...Ward No. 05...Dated..... On His/Her Land Located at Jaya Surya layout Aguraharа ...In Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☐ Purposes. ✓

- ★ The Area Investigated has a slope towards.....North to East
- ★ Radius.....70°..... from centre of the Point.
- ★ Approximate Casing pipe Required.....200 feet.....
- ★ No of Water Bearing Zones.....4 Nos.....
- .....
- ★ From the above Observation, a Borewell is Recommended for Drilling upto.....1200 feet.....for Better Storage.
- ★ The Approximate Yield May be .....1 to 2 inch.....GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬೃಹದಾಯತನಪಾರ ಉಪ ವಿಭಾಗ
ಬಿ.ಡಬ್ಲ್ಯೂ.ಎಸ್.ಎಸ್.ಬಿ., ಬೆಂಗಳೂರು-24

Scanned by CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091

226

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs ....Ward no. 05....Dated..... On His/Her Land Located at ....Srinivasapura.... in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☐ Purposes. ✓

★ The Area Investigated has a slope towards....East to West....

★ Radius....160°.... from centre of the Point.

★ Approximate Casing pipe Required....215 feets....

★ No of Water Bearing Zones....4 Nos....

★ From the above Observation, a Borewell is Recommended for Drilling upto....1215 feets....for Better Storage.

★ The Approximate Yield May be ....2 inch....GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Scanned by CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091

227

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs ....Nanda Kumar....Dated..... On His/Her Land Located at Dwarakanagara 6th cross in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☐ Purposes. ✓

★ The Area Investigated has a slope towards....East to South.

★ Radius....150'..... from centre of the Point.

★ Approximate Casing pipe Required....190 feet.....

★ No of Water Bearing Zones....3 nos.....

.....

★ From the above Observation, a Borewell is Recommended for Drilling upto....120 feet.....for Better Storage.

★ The Approximate Yield May be ....2½ inch.....GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Scanned by CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091

228

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs ....Ward No 05....Dated..... On His/Her Land Located at Ayappa layout kathriguppe in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☐ Purposes. ✓

★ The Area Investigated has a slope towards....North to East

★ Radius....80°.... from centre of the Point.

★ Approximate Casing pipe Required....225 feets....

★ No of Water Bearing Zones....3 nos....

★ From the above Observation, a Borewell is Recommended for Drilling upto....1230 feets....for Better Storage.

★ The Approximate Yield May be ....2 inch....GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

ಬಿಬಿಎಂಪಿ
ಮುಖ್ಯ ಆಯುಕ್ತರು ಅಧಿಕಾರಿಯ ಆದೇಶಾನುಸಾರ
ಬಿಬಿಎಂಪಿ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-14

Scanned by CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091

229

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs ..Ward no 05.. Dated..... On His/Her Land Located at Chamundi layout 1st cross in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☐ Purposes. ✓

★ The Area Investigated has a slope towards....South to West..

★ Radius.....200°..... from centre of the Point.

★ Approximate Casing pipe Required.....200 feet.....

★ No of Water Bearing Zones.....3 Nos.....

.....

★ From the above Observation, a Borewell is Recommended for Drilling upto.....1240 feet.....for Better Storage.

★ The Approximate Yield May be .....2½ inch.....GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Scanned by CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091 231

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs ....Ward No.05....Dated..... On His/Her Land Located at Kasturi layout & Morar in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☐ Purposes. ✓

★ The Area Investigated has a slope towards....East to South....

★ Radius....165°.... from centre of the Point.

★ Approximate Casing pipe Required....200 feet....

★ No of Water Bearing Zones....3 nos....

★ From the above Observation, a Borewell is Recommended for Drilling upto....1200 feet....for Better Storage.

★ The Approximate Yield May be ....2 inch....GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

ಶಿವಕುಮಾರ್
ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಧಿಕಾರಿಯವರು
ಬೆಂಗಳೂರು ಉತ್ತರ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-24

Scanned by CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091

230

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs Ward No. 05 Dated..... On His/Her Land Located at Kogilu Layout Tippunagara in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☑ Purposes.

- ★ The Area Investigated has a slope towards.... North to South
- ★ Radius..... 1700 ..... from centre of the Point.
- ★ Approximate Casing pipe Required..... 200 feets .....
- ★ No of Water Bearing Zones..... 3 Nos .....
- ★ From the above Observation, a Borewell is Recommended for Drilling upto..... 1200 feets .....for Better Storage.
- ★ The Approximate Yield May be ..... 2" to 2½ inch .....GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Scanned by CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091 276

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs Ward No-05 Dated 08/10/20 On His/Her Land Located at Krishnadevarajah Layout Kogilu in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☐ Purposes.

★ The Area Investigated has a slope towards..... East - North .....

★ Radius..... 160 ..... from centre of the Point.

★ Approximate Casing pipe Required..... 185 feet .....

★ No of Water Bearing Zones..... 2 Nos .....
..... 175 feet .....

★ From the above Observation, a Borewell is Recommended for Drilling upto..... 1175 feet .....for Better Storage.

★ The Approximate Yield May be ..... 2½" to 3" inch .....GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Scanned by CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091

275

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs Ward No:05 Dated 08/10/20 On His/Her Land Located at MCECHS Layout 2nd Cr in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☐ Purposes.

★ The Area Investigated has a slope towards West - North

★ Radius 12' from centre of the Point.

★ Approximate Casing pipe Required 200 feet

★ No of Water Bearing Zones 3 Nos

1150 feet

★ From the above Observation, a Borewell is Recommended for Drilling upto ..... for Better Storage.

★ The Approximate Yield May be 2" to 2½" inch GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Scanned by CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091 274

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs Ward No.05 Dated 08/10/22 On His/Her Land Located at Balavanapalya Kharadi Public School in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☐ Purposes.

★ The Area Investigated has a slope towards East – South

★ Radius 160' from centre of the Point.

★ Approximate Casing pipe Required 190 feet

★ No of Water Bearing Zones 2 Nos 1250 feet

★ From the above Observation, a Borewell is Recommended for Drilling upto 1250 feet for Better Storage.

★ The Approximate Yield May be 2" Full GPH.





SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Scanned by CamScanner